


FROM:  Frazer R. Lockhart, Director, Environmental Restoration Division  
SUBJECT: AMEM Weekly Report - Week of August 17 - 21, 1992  
TO: James K. Hartman, Assistant Manager for Environmental Management

Project Management Review Team:

ER staff participated in the Project Management Review Team conducted by PR-26 on August 18, 1992. Items of interest included discussions on: EM-40/EM-30 coordination on ER generated waste treatment, storage and disposal (who is responsible for TSD facilities); DOE Order 4700.1 implementation for ER Major System Acquisition; EM-40 Baseline development; MCS and work package relationship to project management; and Change Control. (Rose, x5917)

Site Specific Plan:

Final responses to EM-453 comments on the FY93 SSP have been developed. The major concern was the omission of FY94-98 funding information and detailed schedules. Draft guidance from EM-10 makes it very clear that the SSP should not address outyear funding assumptions. (Rose, x5917)

Technical Review Group (TRG) Meeting:

The TRG will meet on August 19, 1992 at 2:00 p.m. to discuss the workplans for Operable Units 14 and 15. The TRG is made up of private citizens who have technical backgrounds. Their comments are submitted to the EPA for incorporation into EPA comments on RFP documents. (Pepe, x2184)

Educational Outreach:

A group of scientists and engineers from DOE and EG&G will meet with Leslie Texler of the Bollman Occupational Center on August 20, 1992, to refine environmental educational modules to be used in the 1992-93 curriculum. (Pepe, x2184)

Geologic Characterization:

A meeting will be held between DOE and EG&G on August 21, 1992, from 8:00 a.m. to 12:00 p.m. to discuss several issues concerning priorities for FY93. The issues include geologic, hydrogeologic, geophysical and geochemical characterization projects. This meeting will focus particularly on background soil characterization, soil sampling SOPs, groundwater protection, and monitoring well data evaluation. (Pepe, x2184)

**ADMIN RECORD**

A-0016-000045